


**BWG CORE BARREL**




	ITEM DESCRIPTION	PART NUMBERS
1-16	BWG CORE BARREL ASSEMBLY 3.0 M	60-00-100
1-16	BWG CORE BARREL ASSEMBLY 1.5 M	60-00-110
1-11	BWG HEAD ASSEMBLY	60-00-200
01	HEAD	60-01-001
02	SPINDLE	60-01-002
03	SPRING DOWEL	60-01-003
04	RUBBER SPACER	60-01-004
05	THRUST BEARING	60-01-005
06	BEARING COVER	60-01-006
07	BEARING SPINDLE	60-01-007
08	THRUST BEARING	60-01-008
09	GREASE FITTING	16-03-024
10	CASTLE NUT	60-01-009
11	COTTER PIN	60-01-010
12	INNER TUBE 3.0 M	60-03-001
12	INNER TUBE 1.5M	60-03-002
13	CORE LIFTER	60-03-003
14	OUTER TUBE 3.0 M	60-02-001
14	OUTER TUBE 1.5 M	60-02-002
15	BLANK REAMER SHELL	60-02-003
16	BIT BLANK	60-02-004

ALL KUVAWALA CORE BARRELS ARE MANUFACTURED FROM THE HIGHEST QUALITY RAW MATERIALS i.e. COLD DRAWN SEAMLESS TUBES OF GRADE SAE 1541 THAT ARE IMPORTED . THESE HAVE EXTREMELY HIGH MECHANICAL PROPERTIES AND STRAIGHTNESS BETTER THAN 1 : 2000 .

STANDARD KUVAWALA CORE BARRELS HAVE HEAT TREATED ALLOY STEEL HEADS WHICH COME WITH HARD METAL STRIPS ON THE DIAMETER OF THE HEAD WHICH ARE 60 Rc TO 65 Rc .

OPTIONALLY WE ALSO SUPPLY STANDARD CORE BARRELS WITH 18" LONG HARD CHROME PLATING AT BOTH ENDS OF THE OUTER TUBE AT EXTRA COST. THIS INCREASES THE LIFE OF THE OUTER TUBE EXPONENTIALLY.

**NWG CORE BARREL**




	ITEM DESCRIPTION	PART NUMBERS
1-17	NWG CORE BARREL ASSEMBLY 3.0 M	82-00-100
1-17	NWGCORE BARREL ASSEMBLY 1.5 M	82-00-110
1-11	NWG HEAD ASSEMBLY	62-00-200
01	HEAD	62-01-001
02	SPINDLE	62-01-002
03	SPRING DOWELL	62-01-003
04	RUBBER SPACER	62-01-004
05	THRUST BEARING	62-01-005
06	BEARING COVER	62-01-006
07	BEARING SPINDLE	62-01-007
08	THRUST BEARING	62-01-008
09	GREASE FITTING	16-03-024
10	CASTLE NUT	62-01-009
11	COTTER PIN	62-01-010
12	INNER TUBE 1.5 M	82-03-001
12	INNER TUBE 3.0 M	82-03-002
13	INNER TUBE EXTENTION	82-03-003
14	CORE LIFTER	82-03-004
15	OUTER TUBE 1.5 M	82-02-001
15	OUTER TUBE 3.0 M	82-02-002
16	BLANK REAMING SHELL	82-02-003
17	BIT BLANK	82-02-004

ALL KUVAWALA CORE BARRELS ARE MANUFACTURED FROM THE HIGHEST QUALITY RAW MATERIALS i.e. COLD DRAWN SEAMLESS TUBES OF GRADE SAE 1541 THAT ARE IMPORTED . THESE HAVE EXTREMELY HIGH MECHANICAL PROPERTIES AND STRAIGHTNESS BETTER THAN 1 : 2000 .

STANDARD KUVAWALA CORE BARRELS HAVE HEAT TREATED ALLOY STEEL HEADS WHICH COME WITH HARD METAL STRIPS ON THE DIAMETER OF THE HEAD WHICH ARE 60 Rc TO 65 Rc .

OPTIONALLY WE ALSO SUPPLY STANDARD CORE BARRELS WITH 18" LONG HARD CHROME PLATING AT BOTH ENDS OF THE OUTER TUBE AT EXTRA COST. THIS INCREASES THE LIFE OF THE OUTER TUBE EXPONENTIALLY.

**HWG CORE BARREL**



	ITEM DESCRIPTION	PART NUMBERS
1 -19	HWG CORE BARREL ASSEMBLY 3.0 M	64-00-100
1 -19	HWG CORE BARREL ASSEMBLY 1.5 M	64-00-110
1-14	HWG HEAD ASSEMBLY	64-00-200
01	HEAD	64-01-001
02	SPINDLE	64-01-002
03	OIL SEALS - 2 NOS.	64-01-003
04	BEARING HOUSING	64-01-004
05	NUT	64-01-005
06	BALL BEARINGS 6205 - 2NOS.	64-01-006
07	M8 BOLT	64-01-007
08	BEARING HOUSING CAP	64-01-008
09	OIL SEAL	64-01-009
10	GREASE FITTING	16-03-024
11	INNER TUBE CAP	64-01-010
12	SPRING DOWELL	64-01-011
13	CASTLE NUT	64-01-012
14	COTTER PIN	64-01-013
15	INNER TUBE 3.0 M	64-03-001
15	INNER TUBE 1.5 M	64-03-002
16	CORE LIFTER	64-03-003
17	OUTER TUBE 3.0 M	64-02-001
17	OUTER TUBE 1.5 M	64-02-002
18	BLANK REAMING SHELL	64-02-003
19	BIT BLANK	64-02-004

ALL KUVAWALA CORE BARRELS ARE MANUFACTURED FROM THE HIGHEST QUALITY RAW MATERIALS i.e. COLD DRAWN SEAMLESS TUBES OF GRADE SAE 1541 THAT ARE IMPORTED . THESE HAVE EXTREMELY HIGH MECHANICAL PROPERTIES AND STRAIGHTNESS BETTER THAN 1 : 2000 .

STANDARD KUVAWALA CORE BARRELS HAVE HEAT TREATED ALLOY STEEL HEADS WHICH COME WITH HARD METAL STRIPS ON THE DIAMETER OF THE HEAD WHICH ARE 60 Rc TO 65 Rc .

OPTIONALLY WE ALSO SUPPLY STANDARD CORE BARRELS WITH 18" LONG HARD CHROME PLATING AT BOTH ENDS OF THE OUTER TUBE AT EXTRA COST. THIS INCREASES THE LIFE OF THE OUTER TUBE EXPONENTIALLY.